p.2

US Serial No. 102790-129

Page 2 of 10

In the Claims:

1.(original) A textile treatment delivery system adapted to impart textile conditioning composition and fragrance to a fabric while it is being dried in a heated drier, the delivery system comprising at least one textile conditioning composition and at least one fragrance in a sublimable carrier substance.

2.(original) A textile treatment delivery system according to claim 1, in which the sublimable substance has a sublimation temperature in the operating temperature range of the drier.

Claims 3 - 10 are cancelled.

- 11. (previously presented) A textile treatment delivery system according to claim 1 in which the sublimable substance has a maximum molecular weight of 200.
- 12. (previously presented) A textile treatment delivery system according to claim 1 in which the sublimable substance has a maximum molecular weight of 170.
- 13.(previously presented) A textile treatment delivery system according to claim 1, in which the sublimable substance includes adamantane.
- A textile treatment delivery system according to 14. (previously presented) claim 2, in which the sublimable substance includes adamantane.
- 15. (previously presented) A textile treatment delivery system according to claim 1, in which the sublimable substance is a blend of at least two sublimable substances.

US Serial No. 102790-129 Page 3 of 10

16.(currently amended) A textile treatment delivery system according to claim 15, in which one of the sublimable substances is <u>adamantane</u> adamantine.

р.3

17.(currently amended) A textile treatment delivery system according to claim 16, in which one of the sublimable substances is <u>adamantane</u> adamantine, which is present to the extent of at least 50% by weight of the total sublimable substance

18.(previously presented) A textile treatment delivery system according to claim 1, in which the sublimable substance comprises not more than 60%wt. of the total weight of the textile treatment delivery system.

19.(previously presented) A textile treatment delivery system according to claim 18, in which the sublimable substance comprises not more than 50%wt. of the total weight of the textile treatment delivery system.

20.(previously presented) A textile treatment delivery system according to claim 19, in which the sublimable substance comprises not more than 40%wt. of the total weight of the textile treatment delivery system.

21.(previously presented) A textile treatment delivery system according to claim 1, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

22.(previously presented) A textile treatment delivery system according to claim 2, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

US Serial No. 102790-129

PARFOMAK

Page 4 of 10

23.(previously presented) A textile treatment delivery system according to claim 13, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

24.(previously presented) A textile treatment delivery system according to claim 1, in which the the fragrance composition includes at least one aroma chemicals that has a low vapour pressure and at least one that has a high vapour pressure.

25.(previously presented) A method of providing textile conditioning and fragrance to a fabric that is being dried in a heated drier, comprising the addition to the fabric in the drier of at least one textile conditioning composition and at least one fragrance in a sublimable carrier substance.

26.(previously presented) The method according to claim 25 wherein the sublimable substance has a sublimation temperature in the operating temperature range of the drier.

The method according to claim 26 wherein the 27.(previously presented) sublimable substance comprises adamantane.